MONOPLACOPHORA

Bruno Dell'Angelo

Via Santelia, 55/12A - 16153 Genova, Italia.
bruno.dellangelo@chitons.it

Solo una specie di Monoplacofori è nota in Mediterraneo, trovata in alcune località del Mar Tirreno (Corsica, Sardegna, isole di Capraia e Gorgona, Lazio), alla profondià di 180-900 m.

Questa specie è stata recentemente rivista da Waren & Gofas (1996), i quali hanno considerato la specie Plio/Pleistocenica *Tectura reticulata* Seguenza, 1876 corrispondente alla specie di Monoplacophora precedentemente conosciuta in Mediterraneo come *Neopilina zografi* (Dautzenberg & Fisher, 1896), attribuendola al genere *Veleropilina*.

Only one specie of Monoplacophora is known from Mediterranean Sea, found in some localities of Tyrrhenian Sea (Corsica, Sardinia, Capraia and Gorgona Islands, Latium), at a depth of 180-900 m.

This species has been recently revised by Waren & Gofas (1996), that considered the Plio/Pleistocene *Tectura reticulata* Seguenza, 1876 to have been based on the monoplacophoran species previously known as *Neopilina zografi* (Dautzenberg & Fisher, 1896) from the Mediterranean, and attributed it to the genus *Veleropilina*.

Bibliografia/References

SMRIGLIO C., MARIOTTINI P., GRAVINA F., 1989. Molluschi del Mar Tirreno Centrale: ritrovamenti di *Putzeysia wiseri* (Calcara, 1842), *Ischnochiton vanbellei* Kaas, 1985 e *Neopilina zografi* (Dautzenberg & Fischer, 1896). *Bollettino Malacologico*, 25: 125-132.

WAREN A. & GOFAS S., 1996. A new species of Monoplacophora, redescription of the genera *Veleropilina* and *Rokopella*, and new information on three species of the class. *Zoologica Scripta*, 25: 215-232.

			1	2	3	4	5	6	7	8	9	CAR	SIN	NOTE
Famiglia Neopilinidae														
Veleropilina	**5857**	Starobogatov & Moskalev, 1987												
Veleropilina reticulata	**5858**	(Seguenza, 1876)		x										