

AUTHORS	TITLE	REFERENCE	YEAR
AA.VV. - Medits	Assessment of indicator trends related to exploited demersal fish populations and communities in the Mediterranean. DCR Medits Working group. Nantes (France), 15-18 March 2005 and Kavala (Greece), 2-6 April 2006.	Available at http://www.ifremer.fr/docelec/default-en.jsp . 168 p.	2007
AA.VV. - SIH-C	Poissons et invertébrés au large des côtes de France. Indicateurs issus des pêches scientifiques. Bilan 2002.	Ifremer, Nantes. EMH : 05-001. 59 p.	2005
AA.VV. - SIH-C	Poissons et invertébrés au large des côtes de France. Indicateurs issus des pêches scientifiques. Bilan 2004.	Ifremer, Nantes. EMH : 07-001. 82 p.	2007
Abella A.	A proposal for two strategies of utilization of MEDITS data for stock assessment purposes based on surplus production models.	MEDITS project co-ordination meeting, Kavala 3-6 april 2006.	2006
Abella A.	Assessment of European hake with a variant of a non-equilibrium Biomass Dynamic Model using exclusively trawl surveys data.	WG SAC Athens, September 2007.	2007
Abella A.	Assessment of multispecies-multigear stocks in the Mediterranean and the choice of suitable biological reference points.	CGPM Sète Workshop on stock assessment of demersal stocks. Scientific Advisory Committee-CGPM Sub-Committee of Stock Assessment. Sète, France 21-23 March, 2000.	2000
Abella A.	Precautionary approaches for the management of demersal fisheries of the Northern Tyrrhenian Sea.	Presented at Workshop della CIESM "Precautionary approach to local fisheries and species introduction in the Mediterranean." Kerkeneh islands, Tunisia, 22-25 settembre 1999.	1999
Abella A.	Suitability of catch rates of stationary fishing gears as indexes of abundance.	Workshop on fisheries statistics. Scientific Advisory Committee-CGPM Sub-Committee of Statistics and Information. Madrid, Spain 26-28 April, 2000.	2000
Abella A.	The specific characteristics of the Mediterranean fisheries and the choice of suitable approaches for their assessment in a data-poor context.	SAP workshop on "Sustainable fisheries. How can the scientific basis for fish stock assessments and predictions be improved?" Mazara del Vallo, 2-6 may 2000.	2000
Abella A.	The utilization of trawl surveys data for stock assessment purposes using two variants of surplus production models.	MEDITS - SAC - GFCM meeting. Rome, march 2007.	2007
Abella A.	Use of some approaches for stock assessment in conditions of data shortage (with special attention to surplus production models).	GFCM - SAC Permanent Working Group on Stock Assessment Methodology (PWGAM) and Black Sea Commission (BSC). Meeting on stock assessment methodology. Istanbul, 8-10 march, 2006.	2006
Abella A.	Utilization of MEDITS data for a preliminary stock assessment using a variant of a Surplus Production Model.	Presented at MEDITS Plenary Session, Paris 10-1-97.	1997
Abella A. and Righini P.	Biological reference points for the management of <i>Nephrops norvegicus</i> stocks in the Northern Tyrrhenian Sea.	J. Nat. Hist., 32: 1419-1430.	1998
Abella A. and Righini P.	Valutazione dello stato di sfruttamento dello scampo nell'area settentrionale dell'Arcipelago Toscano.	Biol. Mar. Mediterr., 5 (2): 293-306.	1998
Abella A. and Serena F.	Comparison of elasmobranch catches from research trawl surveys and commercial landing at port of Viareggio, Italy, in the last decade.	J. Northw. Atl. Fish. Sci., 35: 225-231.	2005
Abella A. and Serena F.	Selettività e vulnerabilità del nasello nella pesca a strascico.	Biol. Mar. Mediterr., 5 (2): 496-504.	1998
Abella A. and Serena F.	Stato di sfruttamento del nasello nei compartimenti di pesca di Livorno e Viareggio.	Biol. Mar. Mediterr., 5 (2): 136-150.	1998
Abella A. and Serena F.	Comparison of elasmobranch catches of trawl-surveys and commercial landings of the Port of Viareggio (North Tyrrhenian-South Ligurian Sea-Italy) in the last decade.	NAFO Symposium on Elasmobranch Fisheries for Sustainable Use and Biodiversity Conservation. Santiago de Compostela, Spain, September 2002. Serial No. N4716, NAFO SCR Doc. 02/95, 13 pp.	2002
Abella A. and Voliani A.	Identification of some problems related to the utilisation of direct and indirect methods suitable for stock assessment in the multispecies-multigear Mediterranean fisheries.	Workshop on stock assessment of demersal stocks. Scientific Advisory Committee-CGPM Sub-Committee of Stock Assessment. Sète, France 21-23 March, 2000.	2000
Abella A., Bartolino V., Bertrand J. A., Cau A., Colloca F., Follesa C., Mannini A., Reale B., Rinelli P., Sbrana M., Spedicato M.T. Voliani A. and Zupa R.	Use of composite models for the assessment of European hake, Red mullet and Norway lobster stocks in the North-Western Mediterranean (GSAs 7, 8, 9, 10 and 11).	WG SAC Athens, September 2007.	2007
Abella A., Belluscio A., Bertrand J., Carbonara P., Giordano D., Sbrana M. and Zamboni A.	Use of MEDITS trawl survey data and commercial fleet information for the assessment of some Mediterranean demersal resources.	Aquat. Living Resour, 12(3): 155-166.	1999

AUTHORS	TITLE	REFERENCE	YEAR
Abella A., Caddy J.F. and Serena F.	Do natural mortality and availability decline with age? An alternative yield paradigm for juvenile fisheries, illustrated by the hake, <i>Merluccius merluccius</i> fishery in the Mediterranean.	Aquat. Living Resour., 10: 257-269.	1997
Abella A., Caddy J.F. and Serena F.	Estimation of the Parametres of the Caddy reciprocal M-at-Age Model for the construction of natural mortality vectors.	II Reun. DINPOP-CIESM Genova. CIHEAM Cahiers Options Méditerranéennes 35: 191-200.	1998
Abella A., Carpentieri P., Mannini A., Ria M., Sartor P., Viva C. and Voliani A.	Use of fisheries independent data for the definition of the stock status of <i>Mullus barbatus</i> utilizing mortality rates based reference points.	7th Meeting of the Sub-Committee on Stock Assessment (SCSA) FAO, Rome, 26-30 September, 2005.	2005
Abella A., Carpentieri P., Mannini A., Sartor P., Viva C. and Voliani A.	Selection of possible indicators of sustainable yield from total mortality rates for red mullet <i>Mullus barbatus</i> (Linnaeus, 1758) in the GFCM geographic sub-area 9 (eastern Ligurian-central Tyrrhenian Seas).	Biol. Mar. Mediterr., 13 (3) Parte seconda: 1-16.	2006
Abella A., Fiorentino F., Mannini A. and Orsi Relini L.	Exploring relationship between recruitment of European hake (<i>Merluccius merluccius</i> L. 1758) and environmental factors in the Ligurian Sea and the Strait of Sicily.	IDEA project workshop. Palma de Mallorca, 9-13 march 2006. Journal of Marine Systems.	In press
Abella A., Fortunati L. and Serena F.	Analysis of spatial data on fishing effort and seasonal changes in fishing strategies for Ligurian and Tyrrhenian Sea bottom trawl fisheries.	Workshop on fisheries statistics. Scientific Advisory Committee-CGPM Sub-Committee of Statistics and Information. Madrid, Spain 26-28 April, 2000.	2000
Abella A., Ria M. and Serena F.	Usefulness of legal size for the recovery of a European hake stock in a Northwestern mediterranean bottom trawl fishery.	CM 2005/W:19, International Council for the Exploration of the Sea, Aberdeen 20-24 settembre 2005.	2005
Abella A., Ria M., Mancusi C., Baino R. and Serena F.	Consistency between trawl surveys trends of abundance and fishing pressure for the demersal assemblages exploited in the Southern Ligurian Sea.	8th Meeting of the Sub-Committee on Stock Assessment (SCSA) FAO, Rome, 11-14 settembre 2006.	2006
Abella A., Serena F. and Auteri R.	Un metodo alternativo per lo studio della distribuzione geografica per taglia del nasello.	Biol. Mar. Mediterr., 3 (1): 522-524.	1996
Abella A., Serena F. and Fortunati L.	Dinamica della flotta peschereccia a strascico di Viareggio descritta mediante l'uso di un Sistema Geografico (GIS).	Biol Mar. Mediterr., 7 (2): 565-570.	2000
Abella A., Serena F. and Ria M.	Distributional response to variations in abundance over spatial and temporal scales for juveniles of European hake (<i>Merluccius merluccius</i>) in the Western Mediterranean Sea.	Fish. Res., 71: 295-310.	2005
Abella A., Serena F. and Ria M.	Nursery areas of hake in the southern Ligurian-Northern Tyrrhenian seas: seasonal and geographic shifts in concentration, recruitment dynamics and variability.	Scientific Advisory Committee - GFCM-FAO, Rome, Italy, 20-22 march, 2002.	2002
Abella A., Voliani A., Lazzaretto A. and Silvestri R.	Analisi della distribuzione geografica per taglia di <i>Mullus barbatus</i> .	Biol. Mar. Mediterr., 3 (1): 520-521.	1996
Abello P., Abella A., Adamidou A., Jukic-Peladic S., Maiorano P. and Spedicato M.T.	Geographical patterns in abundance and population structure of <i>Nephrops norvegicus</i> and <i>Parapenaeus longirostris</i> (Crustacea: Decapoda) along the European Mediterranean coasts.	Sci. Mar. 66 (Suppl. 2): 125-141.	2002
Abello P., Bertrand J., Gil De Sola L., Papakonstantinou C., Relini G. and Souplet A.	Mediterranean marine demersal resources: the Medits international trawl survey (1994 – 1999).	Sci. Mar. 66 (Suppl. 2): 1-280	2002
Abello P., Ungaro N., Politou C.Y., Torres P., Roman E., Rinelli P. and Maiorano P.	Notes on the distribution and biology of the deep-sea crab <i>Bathynectes maravigna</i> (Brachyura: Portunidae) in the Mediterranean Sea.	Hydrobiologia, 449: 187-192.	2001
Abello P. and Torres P.	Occurrence of <i>Peneopsis serrata</i> (Bate, 1881) (Decapoda: Penaeidae) in the Mediterranean Sea.	Graellsia, 54: 115-117	1998
Abello P., Carbonell A., Torres P. and Gil de Sola L.	Bathymetric and geographical variability in the characteristics of a population of <i>Nephrops norvegicus</i> (Crustacea: Decapoda) off the Iberian peninsula (western Mediterranean).	Actes de Colloques IFREMER, 26: 186-195	2000
Abello P., Arcos J. A. and Gil de Sola L.	Geographical patterns of seabirds attendance to a research trawler along the Iberian Mediterranean coast	Sci. Mar. 67 (Suppl. 2): 69-75	2003

AUTHORS	TITLE	REFERENCE	YEAR
Agnesi S., A. Belluscio and Ardizzone G.D.	Biologia e dinamica di popolazione di <i>Eledone cirrhosa</i> (Cephalopoda, Octopoda) nel Tirreno centrale.	Biol. Mar. Mediterr., 5 (2): 336-348.	1988
Aldebert Y.	Demersal resources of the Gulf of Lions (Mediterranean). Impact of exploitation on fish diversity.	Vie et Milieu, 474: 275-284	1997
Arcos J.M., Massuti E., Abello P. and Oro D.	Fish associated with floating drifting objects as a feeding resource for Balearic Shearwaters Puffinus mauretanicus during the breeding season	Ornis Fennica, 77: 177-182.	2000
Ardizzone G.D., Agnesi S., Biagi F., Bairo R. and Corsi F.	Geographical Information Systems and Surplus Production Models: A new model for spatial assessment of demersal resources.	In Actes de colloques Demersal resources in the Mediterranean, IFREMER (26): 97-111.	2000
Ardizzone G.D., Belluscio A., Carpentieri P. and Colloca F.	Annotated check list of the skates (Chondrichthyes, Rajidae) in the Central Tyrrhenian Sea.	Biol. Mar. Mediterr., 10(2): 769-773.	2002
Ardizzone G.D., Colloca F., Iona Lasinio G., Bartolino V., Maiorano L., Carpentieri P., Abella A., Mannini A., Viva C., De Ranieri S. and Relini G.	Hake nurseries identification in the FAO-GSA 9 using a Bayesian geostatistical approach.	Workshop on Trawl Survey Based Monitoring Fishery System in the Mediterranean, FAO - General Fisheries Commission for the Mediterranean, Rome, March, 26-28.	2007
Ardizzone G.D., Lembo G., Carpentieri P., Kallianiotis A. and Spedicato M.T.	Stock assessment of <i>Phycis blennoides</i> (Brünnich, 1768) in the Northern-Central Mediterranean using trawl survey data from MEDITS and SAMED EU projects.	FAO Reports	2006
Ardizzone G.D., Maiorano L., Colloca F., Bartolino V., Iona Lasinio G., Criscoli A., Carpentieri P., Abella A., Mannini A., Sartor P., Belcari P. and Relini G.	An approach for the identification of no-take areas in the Mediterranean based on trawl surveys data and simulated annealing.	MEDITS - SAC - GFCM meeting. Rome, march 2007.	2007
Bahri T., Camilleri M., Dimech M., Drago A., Fiorentino F., Garofalo G., Gristina M., Massa F. and Schembri P.J.	Demersal resources and fisheries around the Maltese Islands: Multidisciplinary approach in data-limited situation.	Conference on Implementing the ecosystem approach to fisheries 2006. Bergen Norway.	2006
Bairo R.	Confronto preliminare tra i rendimenti per cala delle campagne GRUND e MEDITSIT.	Biol. Mar. Mediterr., 5 (2): 475-480.	1998
Bairo R. and Serena F.	Valutazione di abbondanza e distribuzione geografica di alcuni selaci dell'Alto Tirreno e Mar Ligure Meridionale.	Biol. Mar. Mediterr., 7 (1): 433-439.	2000
Bairo R., Ligas A., Mancusi C., Reale B., Sartor P. and Serena F.	Analisi delle catture dei pesci cartilaginei di acque profonde ottenute nei trawl surveys nell'area toscana	Presented at XXXVIII SIBM Congress, Santa Margherita Ligure (GE), 28 maggio - 2 giugno 2007.	2007
Bairo R., Serena F., Ragonese S., Rey J. and Rinelli P.	Catch composition and abundance of Elasmobranchs based on the MEDITS program.	Rapp. Comm. Int. Mer Médit., 36: 234.	2001
Bartolino V., Brutti P., Colloca F., Iona Lasinio G., Maiorano L. and Ardizzone G.D.	Statistical analysis of fish density in the Tyrrhenian and Ligurian Seas.	Spatial Data Methods for Environmental and Ecological Processes, Foggia – Baia delle Zagare, September 14-15.	2006
Bartolino V., Colloca F., Iona Lasinio G., Maiorano L. and Ardizzone G.D.	Bayesian analysis of hake recruits in the GSA 9 (Tyrrhenian-Ligurian Sea).	FAO General Fisheries Commission for the Mediterranean - Stock Assessment Group, Rome, September, 11-14, 2007.	2007
Bartolino V., Colloca F., Sartor P. and Ardizzone G.D.	Modelling recruitment dynamics of hake, <i>Merluccius merluccius</i> , in the central Mediterranean in relation to key environmental variables.	Fish. Res.	In press
Bartolino V., Ottavi A., Colloca F., Ardizzone G.D. and Stefansson G.	Bathymetric preferences in hake juveniles (<i>Merluccius merluccius</i>).	ICES J. Mar. Sci.	In press
Belcari P., Cuccu D., González M., Srairi A. and Vidoris P.	Distribution and abundance of <i>Octopus vulgaris</i> Cuvier, 1797 (Cephalopoda: Octopoda) in the Mediterranean Sea.	Sci. Mar., 66 (suppl. 2): 157-166.	2002
Belcari P., De Ranieri S., Reale B., Sartor P., Sbrana M. and Viva C.	Spatial distribution and seasonal concentration of juveniles of European hake, <i>Merluccius merluccius</i> (L., 1758).	Rapp. Comm. Int. Mer Médit., 36: 238.	2001
Belcari P., M. Gonzalez, E. Lefkaditou, B. Marceta, G. Piccinetti Manfrin, A. Souplet and G. Tserpes	Distribution and abundance of <i>Eledone cirrhosa</i> (Lamarck, 1798) and <i>Eledone moschata</i> (Lamarck, 1798) (Cephalopoda: Octopoda) in the Mediterranean Sea	In Mediterranean Marine Demersal Resources: The MEDITS International Trawl Survey (1994-1999). P. Abelló, J. Bertrand, L. Gil de Sola, C. Papaconstantinou, G. Relini and A. Souplet ed. Sci. Mar., 66 (Suppl. 2):	2002
Belcari P., Tserpes G., González M., Lefkaditou E., Marceta B., Piccinetti Manfrin G. and Souplet A.	Distribution and abundance of <i>Eledone cirrhosa</i> (Lamarck, 1798) and <i>E. moschata</i> (Lamarck, 1798) (Cephalopoda: Octopoda) in the Mediterranean Sea.	Sci. Mar., 66 (suppl. 2): 143-155.	2002

AUTHORS	TITLE	REFERENCE	YEAR
Bellail R., J. Bertrand, O. Le Pape, J. C. Mahé, J. Morin, J. C. Poulard, M. J. Rochet, I. Schlaich, A. Souplet and V. Trenkel	A multispecies dynamic indicator-based approach to the assessment of the impact of fishing on fish communities	ICES CM 2003/V:02. 12 p.	2003
Belluscio A., Scacco U., Colloca F., Carpentieri P. and Ardizzone G.D.	Strategie alimentari di due specie di selaci di acque profonde, <i>Galeus melastomus</i> (Rafinesque, 1810) e <i>Etmopterus spinax</i> (Linnaeus, 1758), nel Tirreno centrale.	Biol. Mar. Mediterr., 7(1): 417-426.	2000
Bertrand J. A. and Relini G.	Demersal resources in the Mediterranean. Proceedings of the symposium held in Pisa, 18-21 March 1998.	Actes de Colloques. Ifremer. Plouzané. Vol. 26: 238 p.	2000
Bertrand J. A. and Relini G. (Eds)	Demersal resources in the Mediterranean. Proceedings of the Symposium on Assessment of demersal resources by direct methods in the Mediterranean and adjacent seas. Pisa (Italy) 18-21 March 1998	IFREMER, Actes de Colloques, 26 : 1-238. Editions IFREMER Plouzone , France.	2000
Bertrand J. A., Aldebert Y. And Souplet A.	Temporal variability of demersal species in the Gulf of Lions from trawl surveys (1983-1997)	In Demersal resources in the Mediterranean. Proceedings of the symposium held in Pisa, 18-21 March 1998. J. A. Bertrand and G. Relini ed. Ifremer, Plouzané. 26: 153-164.	2000
Bertrand J. A., Gil de Sola L., Papaconstantinou C., Relini G. and Souplet A.	An international bottom trawl survey in the Mediterranean: the MEDITS programme	ICES CM 1997/Y:03: 16 p.	1997
Bertrand J. A., Gil de Sola L., Papaconstantinou C., Relini G. and Souplet A.	An international bottom trawl survey in the Mediterranean: the Medits programme	in Demersal resources in the Mediterranean. Proceedings of the symposium held in Pisa, 18-21 March 1998. J. A. Bertrand and G. Relini ed. Ifremer, Plouzané. 26: 76-93.	2000
Bertrand J. A., Gil de Sola L., Papaconstantinou C., Relini G. and Souplet A.	Contribution on the distribution of elasmobranchs in the Mediterranean (from the Medits surveys).	Biol. Mar. Mediterr. 7(1): 385-399.	2000
Bertrand J. A., Gil de Sola L., Papaconstantinou C., Relini G. and Souplet A.	Distribution of juveniles of some demersal species in the northern Mediterranean	Biol. Mar. Mediterr. 7(3): 81-97.	2000
Bertrand J. A., Gil de Sola L., Papaconstantinou C., Relini G. and Souplet A.	The general specifications of the Medits surveys	Sci. Mar. 66 (Suppl. 2): 9-17.	2002
Bertrand J. A., I. Leonori, P. Y. Dremière and G. Cosimi	Depth trajectory and performance of a trawl used for an international bottom trawl survey in the Mediterranean.	In Mediterranean Marine Demersal Resources: The MEDITS International Trawl Survey (1994-1999). P. Abelló, J. Bertrand, L. Gil de Sola, C. Papaconstantinou, G. Relini and A. Souplet ed. Sci. Mar., 66 (Suppl. 2): 169-182.	2002
Bertrand J.A.	Le programme MEDITS de campagne internationale de chalutage démersal en Méditerranée.	in Rapport de la septième Consultation technique du CGPM dans les divisions Baléares et golfe du Lion, Sète (France), 19-23 septembre 1994. H. Ben Alaya. 537: 155-156.	1996
Biagi F., Sartor P., Ardizzone G.D., Belcari P., Belluscio A. and Serena F.	Analysis of demersal fish assemblages of the Tuscany and Latium coasts (north-Western Mediterranean): community structure and biodiversity.	Sci. Mar., 66 (Suppl. 2): 233-242.	2002
Blanchard F.	Effets de l'exploitation par pêche sur la dynamique de diversité des peuplements de poissons démersaux. Analyse comparée du rôle des interactions entre espèces dans le golfe de Gascogne et dans le golfe du Lion.	Thesis Océanologie biologique. Univ. Bretagne occidentale. Brest. 225 p.	2000
Boban J., Vrgoč N., Bulaja D., Peharda M., Isajlović I. and Krstulović Šifner S.	Population structure, age and growth of hollowsnout grenadier <i>Caelorhynchus caelorhynchus</i> (Risso, 1810) in the eastern Adriatic Sea.	XII European Congress of Ichthyology - Book of abstracts / Buj I., Zanella L., Mrakovčić M. (ed.) Zagreb: Tipomat doo, p. 246.	2007
Bottari T., Busalacchi B., Jereb P., Fabroni F., Greco S. and Giordano D.	Preliminary observations on the relationships between beaks and body size in <i>Eledone cirrhosa</i> (Lamarck, 1798) from the southern Tyrrhenian Sea.	Biol. Mar. Mediterr., 11 (2): 560-563.	2004
Bottari T., Rinelli P. and Panebianco A.	Trawling lesions in some decapod crustaceans: considerations with regard to governmental inspections.	Crustaceana, 76 (8): 927-933.	2003
Caddy J.F. and Abella A.	Reconstructing reciprocal M vectors from length cohort analysis of commercial size frequencies of hake, and fine mesh trawl surveys over the same grounds.	Fish. Res., 41: 169-175.	1999
Camilleri M., Ragonese S., Darmanin M. and Rosso B.	The discovery of a specimen of <i>Lobotes surinamensis</i> off the Maltese Islands (Central Mediterranean Sea).	35th Congress of the Societa' Italiana di Biologia Marina; Genova 19-20 July 2004.	2004
Capezzuto F., Maiorano P., Giove A. and D'Onghia G.	Accrescimento, longevità ed effetti della senescenza in <i>Aristeus antennatus</i> nel Mar Ionio.	Biol. Mar. Mediterr., 11 (2): 114-123.	2004
Carbonara P., Silecchia T., Lembo G. and Spedicato M.T.	Accrescimento di <i>Parapenaeus longirostris</i> (Lucas, 1846) nel Tirreno Centro-Meridionale.	Biol. Mar. Mediterr., 5 (1): 665-667.	1998

AUTHORS	TITLE	REFERENCE	YEAR
Carbonara P., Silecchia T., Zupa R. and Spedicato M.T.	Maturità e fecondità dello scampo <i>Nephrops norvegicus</i> (Linnaeus, 1758) nel Tirreno centro-meridionale.	Biol. Mar. Mediterr. 13 (1): 827-830.	2006
Carbonell A. and Abello P.	Distribution characteristics of pandalid shrimps (Decapoda: Caridea: Pandalidae) along the western Mediterranean Sea.	Journal of Natural History, 32: 1463-1474.	1998
Carbonell A., Palmer M., Abello P., Torres P., Alemany R. and Gil de Sola L.	Mesoscale geographical patterns in the distribution of Pandalid shrimps <i>Plesionika</i> spp	Mar. Ecol. Prog. Ser. 247:151-158.	2003
Carbonell A., Abello P., Torres P. and Gil de Sola L.	Distribution and abundance of <i>Aristeus antennatus</i> (Decapoda: Dendrobranchiata) along the Mediterranean Spanish coast	Actes de Colloques IFREMER, 26: 165-172.	2000
Cardinale M., Colloca F. and Ardzizzone G.D.	Feeding ecology of Mediterranean razorfish <i>Xyrichthys novacula</i> in the Tyrrhenian Sea (Central Mediterranean Sea).	J. Appl. Ichthyol., 13 (3): 105-111.	1997
Cardinale M., Colloca F. and Ardzizzone G.D.	Growth and reproduction of <i>Xyrichthys novacula</i> (Pisces: Labridae) in the Mediterranean Sea..	Sci. Mar., 62(3):193-201.	1998
Carlucci R., Capezzuto F. and D'Onghia G.	Aspetti della biologia di <i>Lepidorhombus boscii</i> (Risso, 1810) (Osteichthyes, Scophthalmidae) nel Mar Ionio.	Biol. Mar. Mediterr., 9(1): 747-750.	2002
Carlucci R., D'Onghia G., Maiorano P., Sion L., Capezzuto F., Matarrese A. and Tursi A.	Abundance and size fluctuations in the deep-water shrimps <i>Aristaeomorpha foliacea</i> (Risso, 1827) and <i>Aristeus antennatus</i> (Risso, 1819) in the north-western Ionian Sea (Mediterranean Sea).	Rapp. Comm. Int. Mer Médit., 38, p. 445.	2007
Carlucci R., Sion L., Capezzuto F. and D'Onghia G.	Catture ricorrenti di <i>Epinephelus aeneus</i> (Geoffroy St.-Hilaire, 1809) nel Mar Ionio: un ulteriore elemento per individuare una possibile ZTB?	Biol. Mar. Mediterr., 13 (1): 831-835.	2006
Carpentieri P., Colloca F., Belluscio A. and Ardzizzone G.D.	Feeding behaviour of European hake (<i>Merluccius merluccius</i>) in the central Mediterranean Sea.	Fish. Bull. 103: 411-416.	2004
Carpentieri P., Colloca F., Gentiloni P., Belluscio A. and Ardzizzone G.D.	Ecologia trofica di <i>Merluccius merluccius</i> (Linnaeus, 1758) nel Mar Tirreno centrale.	Biol. Mar. Mediterr., 7(1): 798-801.	2000
Cartes J. E., Rey J., Lloris D. and Gil de Sola L.	Influence of environmental variables in the feeding and the diet of European hake (<i>Merluccius merluccius</i>) on the Mediterranean Iberian coasts	J. Mar. B. Ass. U. K., 84: 831-835.	2004
Cartes J. E., Abello P. and Torres P.	The occurrence of <i>Hymenopenaeus debilis</i> S.I. Smith, 1882 (Decapoda: Aristeidae: Solenocerinae) in Mediterranean waters: a case of pseudopopulations from Atlantic origin?	Journal of the Marine Biological Association of the United Kingdom, 80: 549-550.	2000
Cartes J. E., Abello P., Lloris D., Carbonell A., Torres P., Maynou F. and Gil de Sola L.	Feeding guilds of western Mediterranean demersal fish and crustaceans: an analysis based on a spring survey.	Sci. Mar., 66 (Suppl. 2): 209-220.	2002
Cau A., Carbonell A., Follesa M. C., Mannini A., Norrito G., Orsi Relini L., Politou C.-Y., Ragonese S. and Rinelli P.	MEDITS-based information on the deep water red shrimps <i>Aristaeomorpha foliacea</i> and <i>Aristeus antennatus</i> (Crustacea: Decapoda: Aristeidae).	Sci. Mar. 66 (Suppl. 2): 103-124	2002
Cecchi E., Mancusi C., Pajetta R. and Serena F.	Contributo alla conoscenza della biologia di <i>Etmopterus spinax</i> (Linnaeus, 1758) (Chondrichthyes, Etmopteridae).	Biol. Mar. Mediterr., 11 (2): 564-568.	2004
Chelli M. and Voliani A.	Distribuzione geografica e abbondanza di <i>Todaropsis eblanae</i> (Cephalopoda, Ommastrephidae) nel Mar Ligure Sud-orientale.	Biol. Mar. Mediterr., 11 (2): 569-572.	2004
Colloca F, Marcello A., and Cardinale M.	Tracing life history of red gurnard (<i>Aspitrigla cuculus</i>) using validated otolith annual rings.	J. Appl. Ichthyol., 18: 1-9.	2003
Colloca F.	Life cycle of the deep-water pandalid shrimp <i>Plesionika edwardsii</i> (decapoda, caridea) in the central Mediterranean sea.	J. Crust. Biol., 22(4): 775-783.	2002
Colloca F., Cardinale M., and Ardzizzone G.D.	Biology, spatial distribution and population dynamics of <i>Lepidotrigla cavillone</i> (Pisces: Triglidae) in the Central Tyrrhenian Sea.	Fish. Res., 32: 21-32.	1997
Colloca F., Cardinale M., Belluscio A. and Ardzizzone G.D.	Pattern of distribution and diversity of demersal assemblages in the Central Mediterranean Sea.	Estuarine and Coastal Shelf Science, 56: 469-480.	2003

AUTHORS	TITLE	REFERENCE	YEAR
Colloca F., Carpentieri P., Balestri E. and Ardizzone G.D.	A critical habitat for Mediterranean fish resources: shelf break areas with <i>Leptometra phalangium</i> (Echinodermata, Crinoidea).	Mar. Biol., 145: 1129-1142	2004
Colloca F., Gentiloni P., Agnesi S., Schintu P., Cardinale M., Belluscio A. and Ardizzone G.D.	Biologia e dinamica di popolazione di <i>Aristeus antennatus</i> (Decapoda: Aristeidae) nel Tirreno centrale.	Biol. Mar. Mediterr. 5(2):218-231.	1998
Colloca F., Gentiloni P., Belluscio A., Carpentieri P. and Ardizzone G.D.	Analysis and validation of annual increments in European hake (<i>Merluccius merluccius</i>) in the Central Mediterranean Sea.	Archive of Fishery and Marine Research, 50(2): 175-192.	2003
Colloca F., Maiorano L., Carpentieri P., Bairo R., Mannini A., Sartor P., Belluscio A., Corsi F. and Ardizzone G.D.	Hake abundance and nurseries in the Ligurian and Tyrrhenian Seas (GSA 9): from 1985 to 2003.	Biol. Mar. Mediterr., 13 (1): 219-222.	2006
Consoli, T. Romeo and P. Rinelli	The sexual regime of deep-water shrimps (Decapoda, Pandalidae) in the Southern Tyrrhenian Sea (Central Mediterranean).	Crustaceana, 77 (6): 751-756.	2004
Cuoco C., Mancusi C. and Serena F.	Study of feeding habits of <i>Raja asterias</i> Delaroché, 1809 (Chondrichthyes, Rajidae).	Biol. Mar. Mediterr., 12(1): 504-508.	2005
D. Giordano, N. Spanò, F. Perdichizzi, P. Rinelli and S. Greco	Distribuzione batimetrica di crostacei decapodi in un'area del basso Tirreno	Biol. Mar. Mediterr., 6 (1): 576-578.	1999
Dadić V., Vrgoč N., Jukić-Peladić S. and Krstulović Šifner S.	Spatial analysis of distribution of some demersal fish populations in the Adriatic Sea	GIS Croatia 2000, International Conference and Exhibition Proceedings (ed. D. Kereković), pp. 322- 329. Hrvatski Informatički zbor, Zagreb.	2000
Dimech, M., Camilleri, M., Gristina, M., Kaiser, M. and Schembri P. J	Commercial and non-target species of deep-water trawled muddy habitats on the Maltese continental shelf	Xjenza	2006
Dimech, M., Camilleri, M., Gristina, M., Kaiser, M. and Schembri P. J.	Relationship between commercial & non-commercial species and abiotic characteristics in trawled muddy habitats on the Maltese continental shelf.	Fisheries Society of the British Isles Annual Conference. University of Wales Bangor. U.K.	2005
Dimech, M., Camilleri, M., Kaiser, M. and Schembri P. J.	Demersal assemblages on deepwater trawling grounds off the Maltese Islands: Management implications.	Rapp. Comm. int. Mer Médit., 38, 2007	2007
Dimech, M., Camilleri, M., Kaiser, M. and Schembri P. J.	Role of environmental variables in structuring demersal assemblages on trawled bottoms on the Maltese continental shelf: implications.	Rapp. Comm. int. Mer Médit., 38, 2007	2007
D'Onghia G., Maiorano P. and Tursi A.	Morphometric and biological data on <i>Ancistrocheirus lesueurii</i> (Orbigny, 1842) from the middle-eastern Mediterranean Sea.	Sci. Mar. 61(3), pp. 389-396.	1997
D'Onghia G., Mastrototaro F. and Maiorano P.	Biology of silver scabbard fish, <i>Lepidopus caudatus</i> (Trichiuridae), from the Ionian Sea (Eastern-Central Mediterranean).	Cybiurn, vol. 24 (3), pp. 249-262.	2000
D'Onghia G., Sion L., Maiorano P., Mytilineou C., Dalessandro S., Carlucci R. and Desantis S.	Population biology and life strategies of <i>Chlorophthalmus agassizii</i> Bonaparte, 1840 (Pisces: Osteichthyes) in the Mediterranean Sea.	Marine Biology, vol. 149. pp. 435-446.	2006
Faldelloni A., Chelli M. and Voliani A.	<i>Bathypolypus sponsalis</i> (Cephalopoda, Octopoda) nel Mar Ligure Meridionale.	Biol. Mar. Mediterr., 12 (1): 509-513.	2005
Fanelli E. and Belluscio A.	Some aspects of reproductive biology of Pandalid shrimps of the genus <i>Plesionika</i> (Bate, 1888) (Crustacea, Decapoda) in the central Tyrrhenian Sea.	Biol. Mar. Mediterr., 10(2): 808-813:	2003
Fanelli E., Belluscio A., Carpentieri P., Colloca F. and Ardizzone G.D.	Structure of decapod crustaceans assemblages in the central Tyrrhenian Sea.	Biol. Mar. Mediterr., 11: 577-582.	2004
Fanelli E., Belluscio A., Colloca F., Carpentieri P. and Ardizzone G.D.	Distribuzione e abbondanza dei pandalidi del genere <i>Plesionika</i> (Crustacea, Decapoda) nel Mar Tirreno centrale.	Biol. Mar. Mediterr., 8(1): 708-711.	2001
Fanelli E., Colloca F. and Ardizzone G.D.	Decapod crustacean assemblages off the central-western coasts of Italy (Western Mediterranean).	Sci. Mar., 71:19-28.	2006
Fanelli E., Colloca F., Belluscio A. and Ardizzone G.D.	Distribution characteristics of pandalid shrimps (Decapoda: Caridea: Pandalidae) along the central Mediterranean Sea.	Mediterranean Marine Science 5(2): 35-44.	2004
Ferretti F., Myers R.A., Sartor P. and Serena F.	Long term dynamics of the Chondrichthyan fish community in the upper Tyrrhenian Sea.	ICES CM 2005, n° 25, 34 pp.	2005

AUTHORS	TITLE	REFERENCE	YEAR
Fiorentini L., P.-Y. Dremière, I. Leonori, A. Sala and V. Palumbo	Efficiency of the bottom trawl used for the Mediterranean international trawl survey (MEDITS)	Aquat. Living Resour., 123: 187-205	1999
Fiorentino F., Badalamenti F., Camilleri M., D'Anna G., Garofalo G., Gristina M. and Pipitone C.	Is the bottom dwelling vs demersal fish species an indicator of trawling impact on multispecies demersal resources? A preliminary analysis from trawl survey data.	International symposium on quantitative ecosystem indicators for fisheries management	2004
Fiorentino F., Camilleri M., Giancitano F., Zaccaria M. and Morizzo G.	On the presence of <i>Pomadasys incisus</i> , Bowdich, 1825, (Osteichthyes, Haemulidae) in Maltese Coastal Waters.	35th Congress of the Societa' Italiana di Biologia Marina; Genova 19-20 July 2004	2004
Fiorentino, F., M. Camilleri, G. Bonol, S. Gancitano, G.B. Giutso, S. Ragonese, P. Rizzo and B. Rosso	On a spawning aggregation of the brown meagre <i>Sciaena umbra</i> L., 1758 (Sciaebidae, Osteichthyes) in the Maltese waters (Sicilian Channel-Central Mediterranean).	Rapp. Comm. Int. Mer Méditerr.	2001
Florio G., Consoli P., Perdichizzi F., Rinelli P. and Greco S.	Checklist of the rays (pisces; batoidea; rajidae) collected in an area of South-Tyrrhenian Sea.	Biol Mar. Medit, 10 (2): 824-827.	2003
Gaertner J. C., Bertrand J.A. and Souplet A.	STATIS-CoA: A methodological solution to assess the spatio-temporal organization of species assemblages. Application to the demersal assemblages of the French Mediterranean Sea	In Mediterranean Marine Demersal Resources: The MEDITS International Trawl Survey (1994-1999). P. Abelló, J. Bertrand, L. Gil de Sola, C. Papaconstantinou, G. Relini and A. Souplet ed. Sci. Mar., 66: 221-232	2002
Gaertner J. C., Bertrand J.A., Gil de Sola L., Durbec J.P., Ferrandis E. and Souplet A.	Large spatial scale variation of demersal fish assemblage structure on the continental shelf of the NW Mediterranean Sea	Marine Ecology Progress Series, 297: 245-257	2005
Gaertner J. C., Bertrand J.A., Relini G., Papaconstantinou C., Mazouni N., Gil de Sola L., Durbec J.P., Jukic-Peladic S. and Souplet A.	Spatial pattern in species richness of demersal fish assemblages on the continental shelf of the northern Mediterranean Sea: a multiscale analysis	Mar Ecol Prog Ser, 341: 191-203	2007
Gaertner J. C., Bertrand J.A., Samani D. and Souplet A.	Spatio-temporal organization patterns of demersal assemblages of the east coast of Corsica (Mediterranean Sea)	Vie Milieu, 552: 81-89	2005
García-Rodríguez M. and Esteban A.	Contribution to the knowledge of <i>Citharus linguatula</i> (Linnaeus, 1758)(Osteichthyes, Heterosomata) in the Iberian Mediterranean	Actes des Colloques IFREMER, 26: 131-140.	2000
Gentiloni P., Gargiulo C., Belluscio A., Agnesi S. and Ardizzone G.D.	Distribuzione e biologia del Mollusco Cefalopode <i>Illex coindetii</i> (Verany, 1839) nel Mar Tirreno centrale.	Biol. Mar. Mediterr., 8(1): 715-719.	2001
Giordano D., Bottari T. and Rinelli P.	Cephalopod assemblages caught by trawling along the Southern Tyrrhenian Sea (Central Mediterranean).	Sociedad Espanola de Malacologia, 23(1): 33-42.	2005
Giordano D., Bottari T., Busalacchi B., Jereb P., Ragonese S. and Rinelli P.	On the relationship between beaks and body size in <i>Sepia officinalis</i> from the Southern Tyrrhenian Sea (Central Mediterranean).	Cahier de Biologie Marine, 46 : 35-41.	2005
Gitarakos G., Kallianiotis A., Hadjistefanou N.	Demersal fish and megafaunal assemblages on the Cyprus continental shelf and slope (Eastern Mediterranean)	Rapp. Comm. int. Mer Médit., 38	2007
González M. and Sánchez P.	Cephalopod assemblages caught by trawling along the Iberian Peninsula Mediterranean coast.	Sci. Mar. 66 (Suppl.2): 199-208	2002
Gristina M., Garofaldo G., Bianchini M.L., Camilleri M. and Fiorentino F.	Evaluating the performance of an index of trawling impact vs. fish assemblages and standing biomass in the Strait of Sicily	34th Congress of the Societa Italiana di Biologia Marina, Tunisia, May-June 2003.	2003
Guerao G. and Abello P.	Larval development of the spider crab <i>Macropodia longipes</i> (Brachyura: Majidae: Inachinae)	Journal of Crustacean Biology, 17(3): 459-471.	1997
Jereb P., Cuccu D., Giordano D., Maiorano P. and Ragonese S.	Using historical series of trawl surveys data to investigate cephalopods: a new method of exploratory analysis	Biol. Mar. Mediterr., 12 (1): 526-530.	2005
Jona Lasinio G., Colloca F., Maiorano L., Bartolino V., Abella A., Mannini A., Sartor P., Belcari P., Relini G. and Ardizzone G.D.	A geostatistical approach for the identification of MPAs for fishery management in the central Mediterranean Sea.	European Symposium on MPAs as a tool for fisheries management & ecosystem conservation. Murcia 25-28 settembre 2008.	2007
Jukić-Peladić S., Vrgoč N., Dadić V., Krstulović Šifner S., Piccinetti C. and Marčeta B.	Spatial and temporal distribution of some demersal fish populations in the Adriatic Sea described by GIS technique	Acta Adriat., 40 (suppl.): 39-55	1999
Jukić-Peladić S., Vrgoč N., Krstulović Šifner S., Piccinetti C., Manfrin-Piccinetti G., Marano G. and Ungaro N.	Long-term changes in demersal resources of the Adriatic Sea. Comparison between trawl surveys carried out in 1948 and 1998	Fish. Res., 53(1): 95-104.	2001

AUTHORS	TITLE	REFERENCE	YEAR
Kallianiotis A., Vidoris P. and Sylaios G.	Species assemblages and fishing geographical sub areas in North Aegean Sea, Greece.	Fish. Res., 68: 171-187	2004
Kasapides P., Peristeraki P., Tserpes G. and Magoulas A.	A new record of the Lessepsian migrant fish <i>Etrumeus teres</i> (Osteichthyes: Clupeidae) in the Cretan Sea (Aegean, Greece)	Aquatic invasions, (in press)	2007
Krstulović Šifner S., Dadić V. and Vrgoč N.	GIS presentation of distribution of two Eledonid species in the Adriatic Sea	GIS in research and practice (editor D. Kereković) pp. 124-131. Hrvatski Informatički Zbor, Zagreb	2004
Krstulović Šifner S., Isajlović I. and Vrgoč N.	On the occurrence of <i>Neorossia caroli</i> (Jouben, 1902) in the central Adriatic Sea (Croatian waters)	Acta Adriat. 48(1): 95-100	2007
Krstulović Šifner S., Jukić-Peladić S. and Vrgoč N.	Structure of bottom trawling teuthofauna in the Northern and Central Adriatic	Proc. 7th Congress of Croatian Biologists (editor N. Ljubešić), pp. 324-325. Croatian Biological Society, Zagreb.	2000
Krstulović Šifner S., Lefkaditou E., Ungaro N., Kavadas S. and Vrgoč N.	Composition and distribution of the Cephalopod fauna in the Eastern Adriatic and Eastern Ionian Sea	9th International Congress on the Zoogeography and Ecology of Greece and Adjacent Regions (9ICZEGAR). Thessaloniki, Greece, 22-25 May, 2002	2002
Krstulović Šifner S., Lefkaditou E., Ungaro N., Ceriola L., Osmani C., Kavadas S. and Vrgoč N.	Composition and distribution of the Cephalopod fauna in the Eastern Adriatic and Eastern Ionian Sea	Israel Journal of Zoology 51: 315-330.	2005
Krstulović Šifner S., Vrgoč N., Isajlović I. and Peharda M.	Distribution and population structure of thornback ray, <i>Raja clavata</i> , in the northern and central Adriatic Sea	XII European Congress of Ichthyology - Book of Abstracts / Buj, I., Zanella L., Mrakovčić M. (ed.). Zagreb, Tipomat doo, p. 248.	2007
Lefkaditou E., Peristeraki P., Bekas P., Tserpes G., Politou C.-Y. and Petrakis G.	Cephalopod distribution in the Southern Aegean Sea.	Mediterranean Marine Science, Vol. 4/1: 79-86	2003
Lefkaditou E., Souplet A., Peristeraki N., Gonzalez M., Kavadas S., Vidoris P., Cuccu D. and Papaconstantinou C.	Preliminary investigation of factors affecting the spatial distribution and abundance of <i>Eledone cirrhosa</i> (Cephalopoda: Octopoda) in the Mediterranean Sea.	Actes de colloques 26, IFREMER: 208-218	1998
Lelli S., Belluscio A., Carpentieri P. and Colloca F.	Feeding ecology of short finned squids <i>Illex coindetii</i> and <i>Todaropsis eblanae</i> (Cephalopoda: Ommastrephidae) in the Central Tyrrhenian Sea.	Biol. Mar. Mediterr., 12(1): 531-534.	2005
Lembo G., Silecchia T., Carbonara P., Acrivulis A., and Spedicato M.T.	The geostatistical approach for the assessment of <i>Parapenaeus longirostris</i> (Lucas, 1846) spatial distribution in the Central-Southern Tyrrhenian Sea	Crustaceana, 72 (9):1093-1108.	1999
Lembo G., Silecchia T., Carbonara P., Contegiaco M., and Spedicato M.T.	Localization of nursery areas of <i>Parapenaeus longirostris</i> (Lucas, 1846) in the Central-Southern Tyrrhenian Sea by Geostatistics	Crustaceana, 73 (1): 39-51	2000
Lembo G., Silecchia T., Carbonara P., and Spedicato M.T.	Nursery areas of <i>Merluccius merluccius</i> in the Italian Seas and in the East Side of the Adriatic Sea	Biol. Mar. Mediterr., 7 (3): 98-116	2000
Lembo G., Spedicato M.T., and D'Agostino V.	Distribuzione spazio-temporale dei rendimenti orari del nasello (<i>Merluccius merluccius</i> , L. 1758) mediante tecniche di co-regionalizzazione	Biol. Mar. Mediterr., 5 (2): 117-127	1998
Lembo G., Spedicato M.T., Silecchia T., and D'Agostino V.	Distribution of nursery areas of <i>Merluccius merluccius</i> obtained by geostatistical techniques	Cah. Options Méditerran., 35: 147-154	1998
Lembo G., Tursi A., D'Onghia G., Spedicato M. T., Maiorano P. and Silecchia T.	Spatio-temporal distribution of <i>Aristeus antennatus</i> (Risso, 1816) (Crustacea: Decapoda) in the northwestern Ionian Sea: preliminary data using geostatistics.	Demersal resources in the Mediterranean. Proceedings of the Symposium held in Pisa, March 1998. Actes de Colloques 26. IFREMER Plouzané, France. J. A. Bertrand and G. Relini (eds), pp. 173-185.	2001
Ligas A., Bairo R., Barone M., Belcari P., Carpentieri P., Criscoli A., Mannini A., Relini G. and Viva C.	Analysis of trawl survey time series from the Ligurian and Tyrrhenian seas.	Presentato al GFCM Workshop Trawl surveys, Roma 26-28 marzo 2007.	2007
Ligas A., Bairo R., Barone M., Belcari P., Carpentieri P., Criscoli A., Mannini A., Relini G. and Viva C.	Analisi di serie storiche di campagne di pesca a strascico nel Mar Ligure e nel Mar Tirreno	Biol. Mar. Mediterr. 13(1): 87-95	2006
Longo C., Colloca F., Carpentieri P., Belluscio A. and Ardizzone G.D.	Adaptative strategies and dietary overlap among <i>Argentina sphyraena</i> and <i>Glossanodon leioglossus</i> (Teleostea, Argentinidae).	Biol. Mar. Mediterr., 12(1): 540-543.	2005
Maiorano L., Bartolino V., Colloca F., Abella A., Belluscio A., Carpentieri P., Criscoli A., Jona Lasinio G., Mannini A., Pranovi F., Reale B., Relini G., Viva C. and Ardizzone G.D.	Systematic conservation planning in the Mediterranean: a flexible tool for the identification of no-take marine protected areas.	ICES J. Mar. Sci.	Submitted

AUTHORS	TITLE	REFERENCE	YEAR
Maiorano P., D'Onghia G., Capezzuto F. and Sion L.	Life-history traits of <i>Plesionika martia</i> (Decapoda: Caridea) from the eastern-central Mediterranean Sea.	Marine Biology, 141, pp. 527-539.	2002
Maiorano P., Mastrototaro F., Casamassima F. and Panetta P.	Analisi comparativa della teutofauna catturata con due differenti reti a strascico.	Biol. Mar. Mediterr., 6(1), pp. 579-583.	1999
Maiorano P., Pastore M., D'Onghia G. and Latorre F.	Note on the population structure and reproduction of <i>Polycheles typhlops</i> (Decapoda: Polychelidae) on the upper slope of the Ionian Sea.	Journal of Natural History, vol. 32, pp. 1609-1618.	1998
Matarrese A., Carlucci R., Capezzuto F. and Blasi M.	Nota sulla biologia di <i>Cepola macrophthalmia</i> (L.) (Pisces: Osteichthyes) nel Mar Ionio.	Biol. Mar. Mediterr. 8(1), pp. 730-735.	2002
Maynou F., Abelló P. and Sartor P.	A review of the fishery biology of the mantis shrimp, <i>Squilla mantis</i> (L., 1758) (Stomatopoda, Squillidae) in the Mediterranean.	Crustaceana, 77, 9: 1081-1100.	2004
Menini S., Pirone A., Fabiani O., Voliani A. and Bairo R.	Osservazioni su maturità gonadica e fecondità in <i>Mullus barbatus</i> .	Biol. Mar. Mediterr., 8 (1): 736-740.	2001
Mérigot B., J. A. Bertrand, J. C. Gaertner, J. P. Durbec, N. Mazouni and C. Manté	The multi-component structuration of the species diversity of groundfish assemblages of the east coast of Corsica (Mediterranean Sea): Variation according to the bathymetric strata	Fisheries Research, 88: 120-132	2007
Mérigot B., J. A. Bertrand, N. Mazouni, C. Manté, J. P. Durbec and J. C. Gaertner	A multi-component analysis of species diversity of groundfish assemblages on the continental shelf of the Gulf of Lions (north-western Mediterranean Sea)	Estuarine, Coastal and Shelf Science, 73: 123-136	2007
Orsi Relini L., C. Papaconstantinou, S. Jukic-Peladic, A. Souplet, L. Gil de Sola, C. Piccinetti, S. Kavadas and M. Rossi	Distribution of the Mediterranean hake populations (<i>Merluccius merluccius smiridus</i> Rafinesque, 1810) (Osteichthyes: Gadiformes) based on six years monitoring by trawl-surveys: some implications management	In Mediterranean Marine Demersal Resources: The MEDITS International Trawl Survey (1994-1999). P. Abelló, J. Bertrand, L. Gil de Sola, C. Papaconstantinou, G. Relini and A. Souplet ed. Sc. Mar., 66 (Suppl. 2): 21-38	2002
Orsi Relini L., Mannini A., Fiorentino F., Palandri G. and Relini G.	Biology and fishery of the <i>Eledone cirrhosa</i> in the Ligurian Sea	Fish. Res. 78: 72-88	2006
Orsi Relini L., Mannini A., Lanteri L. and Beccornia E.	First find of an egg mass of <i>Loligo forbesi</i> in the Ligurian sea, with notes about egg laying patterns in southern populations	Bollettino Malacologico	In press
Orsi Relini L., Papaconstantinou C., Jukic-Peladic S., Souplet A., Gil De Sola L., Piccinetti C., Kavadas S. and Rossi M.	Distribution of the Mediterranean hake populations (<i>Merluccius merluccius smiridus</i> Rafinesque, 1810) (Osteichthyes: Gadiformes) based on six years monitoring by trawl surveys: some implications for management.	Sci. Mar. 66 (Suppl. 2): 21-38	2002
Peristeraki P., Lazarakis G., Skarvelis C., Georgiadis M., and Tserpes G.	New records on occurrence of alien fish species in the eastern Mediterranean Sea	Mediterranean Marine Science, (in press)	2007
Pace R., Dimech M., Camilleri M. and Schembri P. J.	Litter as a source of habitat islands on deep water muddy bottoms.	Rapp. Comm. int. Mer Médit., 38, 2007	2007
Pace R., Dimech M., Mosteiro Cabanales A., Camilleri M. and Schembri P. J.	Distribution of discarded limestone slabs used in traditional Maltese Lampuki Fishery.	Rapp. Comm. int. Mer Médit., 38, 2007	2007
Pancucci-Papadopoulou M. A., Zenetos A., Corsini-Foka M. and Politou C.-Y.	Update of marine alien species in Hellenic waters.	Mediterranean Marine Science, Vol. 6/2: 147-158	2005
Peristeraki P., Tserpes G., Politou C.-Y., Kallianiotis A. and Papaconstantinou C.	Distribution mapping of elasmobranch species in the Greek seas based on the MEDITS data	Document presented in the GFCM workshop on "Trawl Based Monitoring Fishery System in the Mediterranean Sea", Rome, Italy, 26-28 March 2008	2007
Petitgas, P., Poulard, J.-C., Radtke, K., Spedicato, M.-T., Ibaibarriaga, L., Politou, C.-Y., Korsbrette, K., Deernberg, C. and Fernandes, P.	Comprehensive indicator-based diagnostics of fish stocks using fishery-independent survey data: the FISBOAT report	ICES CM 2007/O: 16p	2007
Piccinetti C., Marceta B., Jukic-Peladic S., Vrgoc N. and Dacic V.	Ground fish stocks expedition EU MEDITS '96	Proc. 6th Congress of Croatian Biologists (editor Đuro Huber), pp. 349-350. Croatian Biological Society, Zagreb.	1997
Politou C.-Y., Chilari A., Dokos J., Kallianiotis A., Tserpes G. and Peristeraki P.	Identification of the nurseries of hake and deep-water pink shrimp in the Greek waters using trawl survey data.	Working paper for STECF/SGMED-06-01 sub-group meeting on Sensitive and Essential Fish Habitats in the Mediterranean, Rome 6-10 March 2006:17 pp	2006
Politou C.-Y., Karkani M. and Dokos J.	Distribution of decapods caught during MEDITS surveys in Greek waters.	Actes de colloques 26, IFREMER: 196-207	1998
Politou C.-Y., Karkani M. and Dokos J.	Distribution of pandalid shrimps in Greek waters (Ionian sea and Argosaronikos).	6th Hellenic Symposium on Oceanography and Fisheries, Volume II, NCMR: 61-66	2000
Ragonese S, Gancitano S., Camilleri M. and Levi D.	An integrate analysis of size at age data of <i>Sciaena umbra</i> L., 1758 (Osteichthyes, Sciaenidae) of the Strait of Sicily (Central Mediterranean).	34th Congress of the Societa Italiana di Biologia Marina, Tunisia, May-June 2003.	2003

AUTHORS	TITLE	REFERENCE	YEAR
Ragonese S., Camilleri M., Gancitano S., Rizzo P., Bono G. and Fiorentino F.	Evaluating age at sexual maturity in <i>Sciaena Umbra</i> Linnaeus, 1758 (Osteichthyes, Sciaenidae) on the basis of otolith microstructure.	Biol. Mar. Mediterr. 9(1):789-791.	2002
Ragonese S., Fiorentino F., Rinelli P. and Greco S.	Towards the joint analysis of different trawl data sets in the assessment of the Mediterranean resources: a procedure to evaluate the effect of lag time in the sample structure of <i>Phycis blennoides</i> , Brunnich, 1768 (pisces; Gadiformes).	SCI. MAR, 66 (Suppl. 2): 253-260.	2002
Reale B., Sartor P., Ligas A., Viva C., Bertolini D. De Ranieri S. and Belcari P.	Demersal resources assemblages on the <i>Leptometra phalangium</i> (J. Müller, 1841) (Echinodermata; Crinoidea) bottoms in the Northern Tyrrhenian Sea.	Biol. Mar. Mediterr., 12 (1): 571-574.	2005
Relini G.	I progressi della ricerca italiana sulla pesca a strascico	Biol. Mar. Mediterr. 5(2): 3-21	1998
Relini G.	La ricerca sulla pesca: le risorse demersali	Biol. Mar. Mediterr. 7(4): 13-45	2000
Relini G.	Valutazione delle risorse demersali	Biol. Mar. Mediterr. 5(3): 3-19	1998
Relini G., Bertrand J. A. and Zamboni A.	Synthesis of the knowledge on bottom fishery resources in Central Mediterranean (Italy and Corsica).	Biol. Mar. Mediterr. 6(1): 869pp	1999
Relini G., Bertrand J. A. and Zamboni A.	Sintesi delle conoscenze sulle risorse da pesca dei fondi del Mediterraneo centrale (Italia e Corsica).	Biol. Mar. Mediterr. 6 (1): 869 pp.	1999
Relini G., Biagi F., Serena F., Belluscio A., Spedicato M.T., Rinelli P., Follesa M.C., Piccinetti C., Ungaro N., Sion L. and Levi D.	I selaci pescati con lo strascico nei mari italiani	Biol. Mar. Mediterr., 7(1):347-384.	2000
Relini G., Mannini A. and Piano T.	Annotated checklist of the Skates (Chondrichthyes, Rajidae) in the Northern Ligurian Sea	Biol. Mar. Mediterr. 10(2): 882-885	2003
Relini G., Mannini A. and Rossi M.	Trend of trawl catches in the Ligurian Sea	Rapp. Comm. Int. Mer Médit., 36:315	2001
Rinelli P., Bottari T., Florio G., Romeo T., Giordano D. and Greco S.	Observations on distribution and biology of <i>Galeus melastomus</i> (Chondrichthyes, Scyliorhinidae) in the Southern Tyrrhenian Sea (Central Mediterranean).	Cybium, 29(1) : 41-46.	2005
Rochet M. J., Trenkel V.M., Bellail R., Coppin F., Le Pape O., Mahé J.C., Morin A., Poulard J.C., Schlaich I., Souplet A., Vérin Y. and Bertrand J.A.	Combining indicator trends to assess ongoing changes in exploited fish communities: diagnostic of communities off the coasts of France	ICES Journal of Marine Science, 62: 1647-1664	2005
Rochet M. J., Trenkel V.M., Gil de Sola L., Politou C., Tserpes G. and Bertrand J.A.	Do population and community metrics tell the same story about recent changes in Northern Mediterranean fish communities?	ICES, CM 2007 / D:16. 16 p.	2007
Romeo T., Giordano D., Cosenza A., Perdicchizzi F. and Greco S.	Osservazioni preliminari sullo stock di <i>Pagellus Erythrinus</i> (L., 1758) nel Tirreno meridionale	Biol. Mar. Mediterr., 8 (1): 761-764.	2001
Rustighi C., Casotti M. and Voliani A.	Note sulla biologia e la distribuzione spaziale di <i>Phycis blennoides</i> nel Mar Ligure Sud-orientale.	Biol. Mar. Mediterr., 11 (2): 624-628.	2004
Ragonese S., Fiorentino F., Rinelli P. and Greco S.	Towards the joint analysis of different trawl data sets in the assessment of the Mediterranean resources: a procedure to evaluate the effect of lag time in the sample structure of <i>Phycis blennoides</i> , Brunnich, 1768 (pisces; Gadiformes).	SCI. MAR, 66 (Suppl. 2): 253-260.	2002
Sartor P. and Belcari P.	<i>Opisthoteuthis calypso</i> (Villanueva, Collins, Sánchez & Voss, 2002 (Mollusca, Cephalopoda) collected on the bathyal bottoms of the northern Tyrrhenian Sea	Bollettino Malacologico	In press
Sartor P., Belcari P. and De Ranieri S.	Biologia riproduttiva di <i>Sepietta oweniana</i> (Orbigny, 1840) nel Mar Tirreno settentrionale.	Biol. Mar. Mediterr. 5 (1): 726-728.	1998
Sartor P., Sbrana M., Ungaro N., Marano A.C., Piccinetti C. and Manfrin G.	Distribution and abundance of <i>Citharus linguatula</i> (Linnaeus, 1758), <i>Lepidorhombus boscii</i> (Risso, 1810) and <i>Solea vulgaris</i> , Quensel, 1806 (Osteichthyes, Pleuronectiformes) in the Mediterranean sea.	Sci. Mar., 66 (suppl. 2): 83-102.	2002
Schembri P. J., Dimech M., Camilleri M. and Page R.	Living deep-water <i>Lophelia</i> and <i>Madrepora</i> corals in Maltese waters (Strait of Sicily, Mediterranean Sea).	Cahiers de Biologie Marine. 48.	2007

AUTHORS	TITLE	REFERENCE	YEAR
Serena F.	Field identification guide to the sharks and rays of the Mediterranean and Black Sea. FAO Species identification Guide for Fishery Purposes.	FAO. 97 p. 11.	2005
Serena F. and Abella A.	Assessment of effects of fishing of the demersal assemblages of the Northern Tyrrhenian Sea with special reference to <i>Raja asterias</i> .	Montpellier ICES SCOR Symposium. Book of Abstracts. pp 42.	1999
Serena F. and Relini G.	Use of Scientific Campaigns (Trawl Surveys) for the knowledge of the Sensitive Habitats. A review of the MEDITS, GRUND and APHIA data with special attention to the Italian Seas.	In: Basusta N., Keskin., Serena F., Seret B. (eds). 2006. "The proceedings of the Workshop on the Mediterranean Cartilaginous Fish with emphasis on Southern and Eastern Mediterranean". Turkish Marine Research Foundation. Istanbul-Turkey, 23:135-148.	2006
Serena F., Abella A., Bairo R., Mancusi C., Voliani A. and Relini G.	Sensitive habitats for elasmobranch fishes in the Italian seas through the analysis of trawl surveys data.	Proceedings of STECF on Sensitive and Essential Fish Habitats in the Mediterranean Sea. Rome 6-10 March 2006.	2006
Serena F., Bairo R., Fiorentino F., Gil De Sola L., Greco S., Ragonese S., Rey J., Rinelli P. and Relini G.	Distribution and abundance of three elasmobranch species (<i>Galeus melastomus</i> , <i>Scyliorhinus canicula</i> , <i>Raja clavata</i>) based on the Mediterranean International Trawl Survey program (MEDITS).	Congresso EEA, Kiel 2001.	2001
Serena F., Bairo R., Rey J., Papacostantinou C. and Relini G.	Catch composition and abundance of deep-sea elasmobranch based on MEDITS trawl survey.	FAO Fish. Rep. N. 772, presented at Queenstown, New Zealand, 1-5 December 2003.	2005
Serena F., Barone M., Mancusi C. and Abella A.J.	Reproductive biology, growth and feeding habits of <i>Raja asterias</i> Delaroché, 1809, from the north Tyrrhenian and south Ligurian sea (Italy), with some notes on trends in landings.	ICES Annual Science Conference; Theme Session on Elasmobranch Fisheries Science, 20-24 September 2005. CM2005/N:12.	2005
Serena F., Cecchi E., Mancusi C. and Pajetta R.	Contribution to the knowledge of the biology of <i>Etmopterus spinax</i> (Linnaeus, 1758) (Chondrichthyes, Etmopteridae).	FAO, Fish. Rep. 772.	2005
Serena F., Mancusi C. and Auteri R.	Annotated checklist of the skates (Chondrichthyes, Rajidae) in the south Ligurian and north Tyrrhenian sea	Biol. Mar. Mediterr., 10(2): 918-926.	2003
Serena F., Mancusi C. and Vacchi M.	Threatened species of the Mediterranean Sea. The case of Elasmobranchs fishes: assessment of their status and international actions for their conservation.	Second workshop on: Human-environment interactions in the Mediterranean Sea since the Roman period until the 19th century: an historical and ecological perspective on fishing activities. Chioggia, 27-29 September 2006.	2006
Serena F., Mancusi C., Barone M. and Abella A.J.	Abundance and distribution of rays in the south Ligurian and north Tyrrhenian Sea.	ICES Annual Science Conference; Theme Session on Elasmobranch Fisheries Science, 20-24 September 2005. CM2005/N:20.	2005
Serena F., Papaconstantinou C., Relini G., Gil De Sola L. and Bertrand J. A.	Distribution and abundance of <i>Squalus acanthias</i> and <i>Squalus blainvillei</i> in the Mediterranean Sea based on data of the Mediterranean International Trawl Survey program (MEDITS).	First International Symposium on the Management & Biology of Dogfish Sharks. June 13-15 2005, Seattle, Washington, USA.	2005
Serena F., Voliani A. and Auteri R.	Nursery area and some biological information of tub gurnard (<i>Trigla lucerna</i> L. 1758) off Tuscany coasts (Italy).	Rapp. Comm. Int. Mer Médit., 35: 482-483.	1998
Silecchia T., D'Agostino V., Spedicato M.T., Carbonara P. and Lembo G.	L'uso della geostatistica nell'analisi della variabilità dei dati di abbondanza provenienti da trawl survey	Biol. Mar. Mediterr., 5 (2): 481-487	1998
Sion L., D'Onghia G. and Carlucci R.	A simple technique for ageing the velvet belly, <i>Etmopterus spinax</i> (Squalidae).	Proc. 4th Europ. Elasm. Assoc. Meet., Livorno (Italy), 2000. Vacchi M., La Mesa G., Serena F., Seret B. (eds), ICRAM, ARPAT & Soc. Fr. Ichtyol., 2002, pp. 135-139.	2002
Sion L., D'Onghia G., Basanisi M. and Panza M.	Distribuzione dei selaci sui fondi strascicabili del Mar Ionio nord-occidentale.	Biol. Mar. Mediterr., 7(1), pp. 455-460.	2000
Sion L., D'Onghia G., Tursi A. and Matarrese A.	Annotated check list of the skates (Chondrichthyes, Rajidae) in the North-Western Ionian Sea.	Biol. Mar. Mediterr., 10 (2), pp. 935-940.	2003
Spedicato M. T., Greco S., Sophronidis K., Lembo G., Giordano D. and A. Argyris	Geographical distribution, abundance and some population characteristics of the species of the genus <i>Pagellus</i> (Osteichthyes: Perciformes) in different areas of the Mediterranean.	Sci. Mar. 66 (Suppl. 2): 65-82	2002
Spedicato M.T., Carbonara P., Rinelli P., Silecchia T. and Lembo G.	Biological reference points based on spawning stock biomass levels: the case of red mullet (<i>Mullus barbatus</i> L., 1758)	Biol. Mar. Mediterr., 13 (3): 112-123	2006
Spedicato M.T., Lembo G. and Carbonara P.	Annotated check list of the skates (Chondrichthyes, Rajidae) in the Central-Southern Tyrrhenian Sea	Biol. Mar. Mediterr., 10 (2): 941-945	2003
Spedicato M.T., Lembo G., Carbonara P. and Silecchia T.	Valutazione delle risorse demersali dal Fiume Garigliano a Capo Suvero	Biol. Mar. Mediterr., 5 (3): 64-73	1998

AUTHORS	TITLE	REFERENCE	YEAR
Spedicato M.T., Lembo G., Silecchia T. and Carbonara P.	Distribuzione e biologia di <i>Parapenaeus longirostris</i> nel Tirreno Centro-Meridionale.	Biol. Mar. Mediterr., 3 (1): 579-581	1996
Spedicato M.T., Lembo G., Silecchia T. and Carbonara P.	Contributo alla valutazione dello stato di sfruttamento del gambero rosso (<i>Aristaeomorpha foliacea</i> , Risso, 1827) nel Tirreno Centro-Meridionale	Biol. Mar. Mediterr., 5 (2): 252-261	1998
Spedicato, M.-T., Woillez, M., Rivoirard, J., Petitgas, P., Carbonara, P. and Lembo, G.	Usefulness of the spatial indices to define the distribution pattern of key life stages: an application to the red mullet (<i>Mullus barbatus</i>) population in the south Tyrrhenian sea	ICES CM 2007/O: 10p	2007
Tserpes G. and Peristeraki P.	Trends in the abundance of demersal species in the Southern Aegean Sea.	Sci. Mar. 66 (Suppl. 2): 243-252	2002
Tserpes G., Fiorentino F., Levi D., Cau A., Murenu M., Zamboni A., and Papaconstantinou C.	Distribution of the <i>Mullus barbatus</i> and <i>Mullus surmuletus</i> (Osteichthyes: Perciformes) in the Mediterranean continental shelf: implications for management.	Sci. Mar. 66 (Suppl. 2): 39-54	2002
Tserpes G., Haralabous J. and Maravelias C.	Application of a non-equilibrium surplus production model assessment using MEDITS data	Document presented in the GFCM workshop on "Trawl Based Monitoring Fishery System in the Mediterranean Sea", Rome, Italy, 26-28 March 2007	2007
Tserpes G., Peristeraki P., Potamias G. and Tsimenides	Species distribution in the southern Aegean Sea based on bottom-trawl surveys.	Aquatic Living Resources 12: 167-175	1999
Ungaro N., Marano G., Auteri R., Voliani A., Massuti E., Garcia-Rodriguez M. and Osmani K.	Distribution, abundance and biological features of anglerfish (<i>Lophius piscatorius</i> and <i>Lophius budegassa</i>) (Osteichthyes: Lophiiformes) in the Mediterranean Sea.	Sci. Mar., 66 (Suppl. 2): 55-63.	2002
Vagelli C., Banchetti R. and Voliani A.	Distribuzione batimetrica e struttura demografica di <i>Eledone cirrhosa</i> (Cephalopoda, Octopoda) nel Mar Ligure Meridionale.	Biol. Mar. Mediterr., 13 (1): 911-915.	2006
Vagelli C., Chelli M., Vannucci S., Silvestri R. and Voliani A.	Teuthoidea in the Southern Ligurian Sea	Biol. Mar. Mediterr., 13 (2): 290-291.	2006
Vannucci S., Chelli M., Fabbrini C. and Voliani A.	<i>Illex coindetii</i> (Cephalopoda, Ommastrephidae) nel Mar Ligure Meridionale.	Biol. Mar. Mediterr., 13 (1): 924-927.	2006
Vignale P., Carpentieri P., Colloca F., Belluscio A. and Ardzzone G.D.	Daily and seasonal fluctuation of the feeding habits of <i>Merluccius merluccius</i> (Teleostea, Merlucciidae) and <i>Trachurus trachurus</i> (Teleostea, Carangidae) on the Tyrrhenian shelf break.	Biol. Mar. Mediterr., 12(1): 609-613.	2005
Voliani A. and Abella A.	Stime di selettività su <i>Mullus barbatus</i> con diverse metodologie e alcune considerazioni sulla loro validità.	Biol. Mar. Mediterr., 5 (2): 457-464.	1998
Voliani A., Abella A. and Auteri R.	Some considerations on the growth performance of <i>Mullus barbatus</i> .	Cah. Options Méditer., 35: 93-106.	1998
Voliani A., Abella A. and Auteri R.	Un approccio semplice per confrontare il ricavo potenziale dei fondali sfruttati dalla pesca a strascico.	Biol. Mar. Mediterr. 9(1): 826-830.	2002
Voliani A., Abella A. and Cuoco C.	Distribuzione geografica di tre specie di <i>Pagellus</i> nel mar Ligure sud-orientale	Biol. Mar. Mediterr., 10(2): 966-970.	2003
Voliani A., Abella A. and Mancusi C.	Accrescimento di tre specie di <i>Pagellus</i> nel mar Ligure sud-orientale	Biol. Mar. Mediterr., 10(2): 971-974.	2003
Voliani A., Abella A. and Serena F.	Problematiche inerenti la valutazione dello stato di sfruttamento di <i>Mullus barbatus</i> .	Biol. Mar. Mediterr. 5 (2): 169-183.	1998
Voliani A., Abella A., Auteri R. and Silvestri R.	Nota sui parametri biologici di <i>Mullus surmuletus</i> L., 1758 nell'Arcipelago Toscano.	Biol. Mar. Mediterr., 5 (1): 864-868.	1998
Voliani A., Cuccu D., Fiorentino F., Giordano D. and Mannini A.	Updating the distribution of <i>Bathypolypus sponsalis</i> (P. & H. Fischer, 1892) in the Italian seas (Central Mediterranean).	Bollettino Malacologico.	In press
Voliani A., Mannini P. and Auteri R.	Distribuzione e biologia di <i>Lepidotrigla cavillone</i> (Lacepedè) e <i>L. dieuzeidei</i> (Auduin in Blanc e Hureau) nell'Arcipelago Toscano.	Biol.Mar.Mediterr, 7(1): 844-849.	2000
Vrgoč N., Jukić-Peladić S. and Krstulović Šifner S.	Long-term changes in structure of demersal fish communities in the Adriatic Sea	Proc. 7th Congress of Croatian Biologists (editor N. Ljubešić), pp. 253-254. Croatian Biological Society, Zagreb.	2000
Vrgoč N., Krstulović Šifner S. and Jukić-Peladić S.	Long-term changes in demographic structure and distribution of John dory, <i>Zeus faber</i> L. 1758, in the Adriatic Sea	36th EMBS - European Marine Biology Symposium. A marine Science odyssey into the 21st Century. MAÓ, 17-22 September 2001. Abstracts p. 279.	2001

AUTHORS	TITLE	REFERENCE	YEAR
Vrgoč N., Krstulović Šifner S., Dadić V. and Jukić-Peladić S.	Demographic structure and distribution of John Dory, <i>Zeus faber</i> L. 1758, in the Adriatic Sea.	Journal of Applied Ichthyology 22: 205-208.	2006
Woillez M., Petitgas P., Rivoirard J., Fernandes P., Hoftstede R., Korsbrekke K., Orłowski A., Spedicato M.T. and Politou C.Y.	Relationships between population spatial occupation and population dynamics.	ICES, CM 2006/O:05	2006
Woillez M., Petitgas P., Rivoirard J., Fernandes P., Remment Ter Hoftstede, Korsbrekke K., Orłowski A., Spedicato M.-T. and Politou C.-Y.	Relationships between population spatial occupation and population dynamics.	ICES, CM2006/O:05, 19 pp	2006
Zamboni A., Rossi M., Mannini A., Gatto A. and Fiorentino F.	Sulla rinnovabilità e sullo sfruttamento della triglia di fango (<i>Mullus barbatus</i> , L. 1758) in mar Ligure	Biol. Mar. Mediterr. 7(1): 107-116	2000
Zupa R., Silecchia T., Carbonara P. and Spedicato M.T.	Crescita di <i>Trachurus mediterraneus</i> (Steindachner, 1868) nel Tirreno centro-meridionale	Biol. Mar. Mediterr., 13 (2): 302-303	2006